



# Yocom-McColl Testing Laboratories, Inc.

540 West Elk Place • Denver, Colorado 80216-1823 USA

PHONE (303) 294-0582 • FAX (303) 295-6944

EMAIL: ymccoll@ymccoll.com

## Optical Fiber Diameter Analyser (OFDA100) Micron Test Report

Black Hills Alpacas/Penny Holbrook  
8106 Spurgeon Creek Rd SE  
Olympia WA 98513

06/26/18

Test No: 962228


### Animal and Sample Description

**Animal Name:** Rave In  
**Breed:** Alpaca(Huacaya)  
**Sex:** Female  
**Color:** Bay Black

**Animal ID:** 35124085  
**Sample Location:** Side  
**Sample Date:** 05/18/18  
**Age:** 08/14/17

### Laboratory Data

<b>Mean Fiber Diameter:</b>	20.7 microns	<b>Spin Fineness:</b>	20.3 microns
<b>Standard Deviation:</b>	4.5 microns	<b>Mean Curvature (deg/mm):</b>	39.9
<b>Coefficient of Variation:</b>	21.8 %	<b>SD Curvature (deg/mm):</b>	21.8
<b>Fibers Greater Than 30 microns:</b>	3.2 %	<b>Comfort Factor:</b>	96.8 %



This Test Performed According to I.W.T.O Method 47