



# Yocom-McColl Testing Laboratories, Inc.

540 West Elk Place • Denver, Colorado 80216-1823 USA

PHONE (303) 294-0582 • FAX (303) 295-6944

EMAIL: ymccoll@ymccoll.com

## Optical Fiber Diameter Analyser (OFDA 100) Micron Test Report

Rush Acres Farm LLC/Stephen & Rose Rush  
1580 N Point Prairie Rd  
Foristell MO 63348-1034 USA

**Date:** 09/13/19  
**Shear ID:** 186680  
**Test No:** 982861


### Animal and Sample Description

**Animal Name:** Krugerrand by Nolan Ryan  
**ARI #:** 31537780  
**Breed:** Alpaca(Suri)  
**Sex:** Male  
**Color:** Med Fawn

**Date of Birth (Age):** 01/01/10  
**Sample Location:** Side  
**Sample Date:** 04/02/19  
**Previous Shear Date:** 04/25/18  
**Total Fleece Wt (lbs):** 6.10

### Laboratory Data

<b>Mean Fiber Diameter:</b>	26.5 microns	<b>Mean Staple Length:</b>	124.2 mm
<b>Standard Deviation:</b>	5.7 microns	<b>Length Standard Deviation:</b>	4.1 mm
<b>Coefficient of Variation:</b>	21.6 %	<b>Length Coefficient of Variation:</b>	3.3 %
<b>Spin Fineness:</b>	26.0 microns	<b>Mean Curvature:</b>	8.9 deg/mm
<b>Fibers Greater Than 30 microns:</b>	15.0 %	<b>SD Curvature:</b>	12.5 deg/mm
<b>Comfort Factor:</b>	85.0 %		



This Test Performed According to I.W.T.O Method 47