



# Yocom-McColl Testing Laboratories, Inc.

540 West Elk Place • Denver, Colorado 80216-1823 USA

PHONE (303) 294-0582 • FAX (303) 295-6944

EMAIL: ymccoll@ymccoll.com

## Optical Fiber Diameter Analyser (OFDA 100) Micron Test Report

Ariya Alpacas Inc/Janette Archambault  
411 Brill Road  
West Bolton QC J0E 2T0 Canada

**Date:** 07/12/19

**Test No:** 976974


### Animal and Sample Description

**Animal Name:** Ariya Pure Reserve's Raphael  
**Breed:** Alpaca(Huacaya)  
**Sex:** Male  
**Color:** True Black

**Animal ID:** 35484677  
**Sample Location:** Mid Side  
**Sample Date:** 05/05/19  
**Age:** 05/28/17

### Laboratory Data

<b>Mean Fiber Diameter:</b>	18.3 microns	<b>Fibers Greater Than 30 microns:</b>	1.3 %
<b>Standard Deviation:</b>	4.3 microns	<b>Comfort Factor:</b>	98.7 %
<b>Coefficient of Variation:</b>	23.6 %	<b>Mean Curvature:</b>	32.6 deg/mm
<b>Spin Fineness:</b>	18.2 microns	<b>SD Curvature:</b>	21.4 deg/mm



This Test Performed According to I.W.T.O Method 47