



# Yocom-McColl Testing Laboratories, Inc.

540 West Elk Place • Denver, Colorado 80216-1823 USA

PHONE (303) 294-0582 • FAX (303) 295-6944

EMAIL: ymccoll@ymccoll.com

## Optical Fiber Diameter Analyser (OFDA 100) Micron Test Report

Paca Paradise Ranch/Steve Johnson  
17198 SW Baker St  
Aloha OR 97007-5320 USA

**Date:** 07/17/18  
**Shear ID:** 174294  
**Test No:** 964640


### Animal and Sample Description

**Animal Name:** STLR Diego  
**ARI #:** 35122555  
**Breed:** Alpaca(Huacaya)  
**Sex:** Male  
**Color:** White

**Date of Birth (Age):** 06/10/16  
**Sample Location:** Side  
**Sample Date:** 05/27/18  
**Previous Shear Date:** 06/11/17  
**Total Fleece Wt (lbs):** 0.00

### Laboratory Data

<b>Mean Fiber Diameter:</b>	15.7 microns	<b>Mean Staple Length:</b>	80.6 mm
<b>Standard Deviation:</b>	3.5 microns	<b>Length Standard Deviation:</b>	1.5 mm
<b>Coefficient of Variation:</b>	22.1 %	<b>Length Coefficient of Variation:</b>	1.9 %
<b>Spin Fineness:</b>	15.4 microns	<b>Mean Curvature:</b>	71.8 deg/mm
<b>Fibers Greater Than 30 microns:</b>	0.2 %	<b>SD Curvature:</b>	43.0 deg/mm
<b>Comfort Factor:</b>	99.8 %	<b>Medullated Fibers:</b>	1.2 %



This Test Performed According to I.W.T.O Method 47