

# Yocom-McColl Testing Laboratories, Inc.

540 West Elk Place • Denver, Colorado 80216-1823 USA

PHONE (303) 294-0582 • FAX (303) 295-6944

EMAIL: ymccoll@ymccoll.com

## Optical Fiber Diameter Analyser (OFDA 100) Micron Test Report

Alpacas at Windy Hill/Cindy Harris  
8575 Waters Rd  
Moorpark CA 93021 USA

**Date:** 10/03/12  
**Shear ID:** 36350  
**Test No:** 439605


### Animal and Sample Description

**Animal Name:** AWH Mescalero  
**ARI #:** 31785389  
**Breed:** Alpaca(Suri)  
**Sex:** Male  
**Color:** Med Fawn

**Date of Birth (Age):** 06/29/09  
**Sample Location:** Side  
**Sample Date:** 05/30/10  
**Previous Shear Date:** 05/30/09  
**Total Fleece Wt (lbs):** 4.00

### Laboratory Data

<b>Mean Fiber Diameter:</b>	19.2 microns	<b>Mean Staple Length:</b>	200.8 mm
<b>Standard Deviation:</b>	5.4 microns	<b>Length Standard Deviation:</b>	4.8 mm
<b>Coefficient of Variation:</b>	28.0 %	<b>Length Coefficient of Variation:</b>	2.4 %
<b>Spin Fineness:</b>	19.9 microns	<b>Mean Curvature:</b>	12.4 deg/mm
<b>Fibers Greater Than 30 microns:</b>	3.4 %	<b>SD Curvature:</b>	15.9 deg/mm
<b>Comfort Factor:</b>	96.6 %		



This Test Performed According to I.W.T.O Method 47