



# Yocom-McColl Testing Laboratories, Inc.

540 West Elk Place • Denver, Colorado 80216-1823 USA

PHONE (303) 294-0582 • FAX (303) 295-6944

EMAIL: ymccoll@ymccoll.com

## Optical Fiber Diameter Analyser (OFDA 100) Micron Test Report

Linden Hills Alpaca Farm/Megan Hill  
12220 Mesa View Rd  
Larkspur CO 80118-6136 USA

**Date:** 08/02/18  
**Shear ID:** 172100  
**Test No:** 965410


### Animal and Sample Description

**Animal Name:** Springtoo Skyfall  
**ARI #:** 32519037  
**Breed:** Alpaca(Huacaya)  
**Sex:** Male  
**Color:** Beige

**Date of Birth (Age):** 06/23/12  
**Sample Location:** Side  
**Sample Date:** 06/05/18  
**Previous Shear Date:** 05/29/17  
**Total Fleece Wt (lbs):** 9.40

### Laboratory Data

<b>Mean Fiber Diameter:</b>	21.6 microns	<b>Mean Staple Length:</b>	82.2 mm
<b>Standard Deviation:</b>	4.1 microns	<b>Length Standard Deviation:</b>	4.1 mm
<b>Coefficient of Variation:</b>	19.1 %	<b>Length Coefficient of Variation:</b>	5.0 %
<b>Spin Fineness:</b>	20.7 microns	<b>Mean Curvature:</b>	47.6 deg/mm
<b>Fibers Greater Than 30 microns:</b>	3.4 %	<b>SD Curvature:</b>	27.5 deg/mm
<b>Comfort Factor:</b>	96.6 %	<b>Medullated Fibers:</b>	7.7 %



This Test Performed According to I.W.T.O Method 47