



# Yocom-McColl Testing Laboratories, Inc.

540 West Elk Place • Denver, Colorado 80216-1823 USA

PHONE (303) 294-0582 • FAX (303) 295-6944

EMAIL: ymccoll@ymccoll.com

## Optical Fiber Diameter Analyser (OFDA 100) Micron Test Report

Cascade Rose Alpacas/Shari Hollinger  
1826 324th Avenue NE  
Carnation WA 98014-5911 USA

**Date:** 09/19/19  
**Shear ID:** 196450  
**Test No:** 982283


### Animal and Sample Description

**Animal Name:** ACRF Locutus  
**ARI #:** 35580409  
**Breed:** Alpaca(Huacaya)  
**Sex:** Male  
**Color:** Med Silver Grey

**Date of Birth (Age):** 08/16/18  
**Sample Location:** Side  
**Sample Date:** 05/20/19  
**Previous Shear Date:** XX/XX/XX  
**Total Fleece Wt (lbs):** 2.30

### Laboratory Data

<b>Mean Fiber Diameter:</b>	15.8 microns	<b>Mean Staple Length:</b>	55.6 mm
<b>Standard Deviation:</b>	4.5 microns	<b>Length Standard Deviation:</b>	4.7 mm
<b>Coefficient of Variation:</b>	28.2 %	<b>Length Coefficient of Variation:</b>	8.4 %
<b>Spin Fineness:</b>	16.4 microns	<b>Mean Curvature:</b>	48.9 deg/mm
<b>Fibers Greater Than 30 microns:</b>	1.2 %	<b>SD Curvature:</b>	33.3 deg/mm
<b>Comfort Factor:</b>	98.8 %		



This Test Performed According to I.W.T.O Method 47