



# Yocom-McColl Testing Laboratories, Inc.

540 West Elk Place • Denver, Colorado 80216-1823 USA

PHONE (303) 294-0582 • FAX (303) 295-6944

EMAIL: ymccoll@ymccoll.com

## Optical Fiber Diameter Analyser (OFDA 100) Micron Test Report

Hasselbring's Harmony Ranch/Patty Hasselbring  
29049 Davis Road  
Concordia MO 64020 USA


**Date:** 09/03/19  
**Shear ID:** 186026  
**Test No:** 980569

### Animal and Sample Description

<b>Animal Name:</b>	RFSS Peruvian Silver Belle	<b>Date of Birth (Age):</b>	05/18/06
<b>ARI #:</b>	30026461	<b>Sample Location:</b>	Side
<b>Breed:</b>	Alpaca(Suri)	<b>Sample Date:</b>	05/15/19
<b>Sex:</b>	Female	<b>Previous Shear Date:</b>	05/21/18
<b>Color:</b>	Med Silver Grey	<b>Total Fleece Wt (lbs):</b>	3.70

### Laboratory Data

<b>Mean Fiber Diameter:</b>	26.3 microns	<b>Mean Staple Length:</b>	77.0 mm
<b>Standard Deviation:</b>	6.3 microns	<b>Length Standard Deviation:</b>	4.0 mm
<b>Coefficient of Variation:</b>	23.9 %	<b>Length Coefficient of Variation:</b>	5.2 %
<b>Spin Fineness:</b>	26.2 microns	<b>Mean Curvature:</b>	11.3 deg/mm
<b>Fibers Greater Than 30 microns:</b>	16.6 %	<b>SD Curvature:</b>	14.6 deg/mm
<b>Comfort Factor:</b>	83.4 %		



This Test Performed According to I.W.T.O Method 47